

## Type PFS



### PREFILTERS OR FINAL FILTERS IN VENTILATION SYSTEMS

Pocket filters for the separation of fine dust

- Filter classes M5, M6, F7
- Performance data tested to EN 779
- Eurovent certification for fine dust filters
- Meets the hygiene requirements of VDI 6022
- Non-woven synthetic fibres, welded
- Enlarged filter area due to filter pockets
- Low initial differential pressure and high dust holding capacity
- Different numbers of pockets and pocket depths
- Quick installation and filter changing times due to easy, safe handling
- Fitting into standard cell frames for filter walls (type SIF) or into universal casings (type UCA) for duct installation

Optional equipment and accessories

- Front frame made of plastic or galvanised sheet steel



#### Application

- Pocket filter made of non-woven synthetic fibres type PFS for the separation of fine dust
- Fine dust filter: Prefilter or final filter in ventilation systems

#### Filter classes

- Fine dust filters M5, M6, F7

#### Construction

- PLA: Frame made of plastic
- GAL: Frame made of galvanised steel

#### Useful additions

- Filter wall (SIF)
- Universal casing (UCA)

#### Construction features

- Frame depth of construction PLA: 25 mm
- Frame depth of construction GAL: 20, 25 mm
- Number of pockets: 3, 4, 5, 6, 7, 8

#### Materials and surfaces

- Filter media made of non-woven synthetic fibres
- Frame made of plastic or galvanised sheet steel

## INFORMACIÓN TÉCNICA



Pocket filters PFS made of non-woven synthetic fibres as prefilters or final filters for the separation of fine dust in ventilation systems.

Filter pockets provide a high dust holding capacity at a low initial differential pressure.

Pocket filters made of non-woven synthetic fibres are available in standard and special sizes; variable number of pockets and pocket depth; filter classes M5, M6, F7.

Pocket filters made of non-woven synthetic fibres are certified by Eurovent and meet the hygiene requirements of VDI 6022.

#### Materials and surfaces

- Filter media made of non-woven synthetic fibres
- Frame made of plastic or galvanised sheet steel

#### Construction

- PLA: Frame made of plastic
- GAL: Frame made of galvanised steel

#### Sizing data

- Filter class
- Volume flow rate [m<sup>3</sup>/h]
- Initial differential pressure [Pa]
- Nominal size [mm]



## TROX España

---



Ctra. Castellón, Km. 7  
Pol. Ind. La Cartuja  
E-50720 Zaragoza  
Tel: +34 976 50 02 50  
Fax + 34 976 50 09 04  
Email: [trox@trox.es](mailto:trox@trox.es)

## Servicios on-line:

---

- > [TROX Academy](#)

---

- > [Contactos](#)

---

- > [Formulario de contacto](#)

---

- > [Mapa de situación](#)

---

- > [Condiciones de venta y garantía](#)

---

- > [TROX Plazos de entrega](#)

---

- > [Certificado AENOR](#)

---

- > [Certificado IQNet](#)

---

- > [Certificado TÜV](#)

---

## Líneas telefónicas de atención:

---

Delegaciones comerciales  
[Contacto](#)

Customer Service  
+34 976 50 02 50

[Contacto](#)

Horario de atención al cliente Lunes a  
Jueves de 9 a 14 h y de 15h30 a 17h30,  
Viernes de 9 a 14 h

## TROX EN REDES SOCIALES

---